

Case Report Article

Identification of a charred corpse through dental records

Isamara Geandra Cavalcanti Caputo¹

Jair Naves dos Reis²

Teresa Cristina Pantoza Silveira¹

Marco Aurélio Guimarães¹

Ricardo Henrique Alves da Silva³

Corresponding author:

Ricardo Henrique Alves da Silva

Avenida do Café, s/n. – Monte Alegre

CEP 14040-904 – Ribeirão Preto – SP – Brasil

E-mail: ricardohenrique@usp.br

¹ School of Medicine, University of São Paulo – Ribeirão Preto – SP – Brazil.

² Center of Legal Medical Investigation of Ribeirão Preto – Ribeirão Preto – SP – Brazil.

³ School of Dentistry of Ribeirão Preto, University of São Paulo – Ribeirão Preto – SP – Brazil.

Received for publication: October 6, 2010. Accepted for publication: November 22, 2010.

Keywords: Forensic dentistry; forensic anthropology; documentation.

Abstract

Introduction: Forensic Dentistry is an area of Dentistry related to Law. Among its goals is the execution of human identification, defined as the process of determining the person's identity. The forensic dentist uses, in this process, *ante-mortem* records and data for comparison with *post-mortem* information obtained from the examination of the body. **Objective:** To describe the process of identification of a charred corpse by using dental records. **Case report:** The human material remained from a charred corpse was sent to an anthropological and dental analysis for identification purposes. This employed the analysis of the corpse examination and odontological records. **Conclusion:** The identification of the victim in this case points out to the need of an interdisciplinary work between Forensic Medicine and Dentistry in situations which other routine identification processes cannot be applied, highlighting the importance of the Forensic dentist for the final solution of the case.

Introduction

Forensic Dentistry is an area related to Law. One of the goals of the forensic dentist is to execute the process of human identification; by this process, the identity of an individual is determined [22]. Therefore, this area may be considered a science that deals with the gathering, preservation, and comparison of vestiges with patterns obtained at a past moment [2].

All the process of human identification, from the analysis of fingerprints to dental identification or even DNA technology, is based on a comparative process; that is, to achieve a positive result, a composition of data previously obtained and related to the same material should exist to allow the comparison with the material available for examination at the present moment.

Therefore, any documentation produced *ante-mortem* is capable of being used during the identification process. Dental records are one of the materials that provide a higher number of information to execute the comparative process, offering the details and particularities that make a person unique. Compared to other methods of identification, dental records is only less practicable than fingerprint analysis. However, the latter cannot always be achieved in cases which the tissues of the distal upper extremities are destroyed.

Forensic Dentistry employs *ante-mortem* dental data and records in order to compare them with other *post-mortem* information through using the registers within patient's dental file [3], which comprises all documentation regarding to dental treatment, including: anamnesis, treatment planing, executed procedures, complementary examinations, radiographs, photographs, dental casts, prescriptions, receipts, certificates, among others [20].

To reach an identification, the results are directly dependent on the amount and quality of the information within dental records, mainly those that must be register by the dentist during the clinical examination, treatment planning and after the procedures execution. These comprise all the information present in the documentation produced by and related to dental treatment, such as dental file, radiographs, and dental casts, among others [17]. The Brazilian Federal Council of Dentistry recommends that the clinical record should be replaced or expanded to a dental file [1], because this document is more complete and has more possibility of recording more data due to dental treatment [12].

With the information provided by the clinical examination, in most of the cases, the dentist needs to perform complementary examinations to establish a diagnosis and a treatment planning that is more appropriate in each clinical situation. Such examinations included the obtainment of images, by either radiographs or computed tomography, and dental casts [16]. This documentation must be carefully filled in as an integrant part of the dental file to preserve the information included in these examinations [7, 14].

To perform the identification process, it is indispensable that the most possible amount of detailed treatment-related information be properly registered and filled in patient's dental file [18]. Therefore, the aim of this study is to present a forensic case report of human identification of a charred corpse through dental records.

Case report

The material coming from a human burn victim due to a car accident was referred by the Center of Legal Medical Investigation of Ribeirao Preto for anthropological analysis aiming to identification at the Laboratory of Forensic Anthropology of the Center of Forensic Medicine of the School of Medicine of Ribeirao Preto of the University of Sao Paulo. Because the state of the body destruction makes the fingerprint collection impossible as well as the execution of the complete anthropological examination, we checked for the presence of elements that allowed the dental forensic analysis.

The maxilla was then enucleated to execute the forensic examination through the technique described by Luntz and Luntz [4] who used an electric saw to cut above the apical area of the teeth in an arch shape, by moving from left to right, up to the complete removal of the maxilla. Due to great body destruction, the mandible was already disconnected, consequently not necessitating of any enucleation process. Following the enucleation, the structures were cleaned for the proper analysis of the information.

The maxilla presented points of carbonization at the distal portion of the tuberosity and pterygoid process. The teeth demonstrated signs of the action of fire on its structure. The posterior teeth were sound while the anterior teeth underwent a process of calcination, resulting in loss of all tooth crown structure. It was verified the presence of a fixed orthodontic appliance, with brackets, orthodontic bands, wire, and elastics (figure 1).



Figure 1 – The maxilla enucleated for the forensic examination of the charred corpse, 2010

The hemisectioned mandible allowed to exam only its right side, comprising the ramus and body. All body of the mandible was carbonized, demonstrating the loss of hard tissue due to the action of fire. Also, we noted the presence of a fixed orthodontic appliance with brackets and bands, but without the orthodontic wire (figure 2).



Figure 2 – The mandible used in the forensic examination of a charred corpse, 2010

Table I displays the findings of the macroscopic examination of dental forensic analysis.

Table I - Description of the dental findings of the charred corpse, 2010

Tooth	Information
Upper right third molar	Absent. <i>Ante-mortem</i> lost.
Upper right second molar	Present. Amalgam restoration on occlusal surface.
Upper right first molar	Present. Amalgam restoration on occlusal surface. Presence of orthodontic bracket and band.
Upper right second bicuspid	Present. Amalgam restoration on mesial and occlusal surface. Presence of orthodontic bracket.
Upper right first bicuspid	Absent. <i>Ante-mortem</i> lost.
Upper right canine tooth	Present. Presence of orthodontic bracket.
Upper right lateral incisor	Present. Amalgam restoration on palatal surface. Cavity without restoration on labial and mesial surface.
Upper right central incisor	Present (only the root portion and 2/3 of the crown).
Upper left central incisor	Present (only root portion).
Upper left lateral incisor	Present (only the root portion and 1/3 of the crown).
Upper left canine tooth	Present.
Upper left first bicuspid	Absent. <i>Ante-mortem</i> lost.
Upper left second bicuspid	Present. Amalgam restoration on distal and occlusal surface. Presence of orthodontic bracket.
Upper left first molar	Present. Amalgam restoration on occlusal and palatal surface. Presence of orthodontic bracket and band.
Upper left second molar	Present. Amalgam restoration on occlusal and palatal surface.
Upper left third molar	Absent. <i>Ante-mortem</i> lost.
Lower left third molar	Not referred for examination.
Lower left second molar	Not referred for examination.

Lower left first molar	Not referred for examination.
Lower left second bicuspid	Not referred for examination.
Lower left first bicuspid	Not referred for examination.
Lower left canine tooth	Not referred for examination.
Lower left lateral incisor	Not referred for examination.
Lower left central incisor	Not referred for examination.
Lower right central incisor	Present.
Lower right lateral incisor	Present.
Lower right canine tooth	Present. Presence of bracket.
Lower right first bicuspid	Present. Amalgam restoration on occlusal surface. Presence of orthodontic bracket.
Lower right second bicuspid	Present. Amalgam restoration on occlusal surface. Presence of orthodontic bracket.
Lower right first molar	Present. Amalgam restoration on occlusal surface. Presence of orthodontic bracket and band.
Lower right second molar	Present. Amalgam restoration on occlusal surface. Fracture of restoration of buccal surface.
Lower right third molar	Absent.

The following dental records were sent for forensic analysis: 1) lateral and frontal extra- and intraoral photographs; 2) orthodontic analysis and tracings; 3) lateral radiograph of the head; 4) panoramic radiograph; 5) periapical radiograph of the area of upper incisors; 6) periapical radiograph of lower incisors; 7) periapical radiograph of upper incisors; 8) request for dental extraction; 9) dental casts of upper and lower arches; 10) bite register wax.

Discussion

The human identification may occur through the most varied biological parameters: papiloscopic, iris, genetic, and dental analysis, among others. The choice of the methodology depends on the

condition in which the body to be identified was found as well as the type of the material available for performing the comparison [13]. The dental records furnished for the process of identification did not contain the register of the treatment's clinical procedures for forensic comparison. For this purpose, we use the periapical and panoramic radiographic, as well as dental casts. Concerning to the charred corpse, we perform the radiograph shot of the osseous remnants.

Among the several types of the documents produced by the clinical practice, dental files and clinical register are the most frequently ones [9], due to the necessity of recording patient's information, such as: anamnesis, dental features, and the treatment planning to be executed [10].

Based on the dental information provided, we were capable of comparing them to find positive points of confrontation, to identify the individual.

By comparing the treatment performed on the upper right lateral incisor (tooth #12), we verified that its shape, contour, and site of restorative treatment was totally compatible. Also, when root and canal shape were compared, it produces a positive compatibility (figure 3). A positive comparison was also achieved in a feature of the restorative treatment of the upper right first molar (tooth #16) which presented a fracture in the palatal surface. By comparing it with the dental casts, we found the same cavity. At this same tooth, the restoration shape was matched to the dental casts (figure 4).



Figure 3 – Forensic confrontation between *ante-mortem* and *post-mortem* radiographs associated to the treatment verified on the material provided




Figure 4 – Forensic confrontation between *ante-mortem* and *post-mortem* dental casts associated to the treatment verified on the material provided

Scientific literature states that the identification of charred corpse by dental features is perfectly viable [11]. For charred corpse, the most indicated technique is forensic dentistry due to the highest resistance of the teeth and restorative materials to the heat and fire action [5]. Generally, forensic dentistry as well as other human identification methods comprises a comparative method.

Didactically, it is divided into three stages: a) examination of the corpse's dental arches; b) examination of the dental records provided; c) forensic dentistry confrontation [8].

The examination of the corpse's dental arches should include all dental information and the dentition features, such as: restorations, presence of supernumerary teeth, absence of teeth, alterations in

tooth positions, among other findings. At this first stage, the forensic expert executes complementary examinations in the body, always being guided by the dental records provided. At this moment, *post-mortem* radiograph examinations will be performed.

By describing tooth per tooth, as seen in table I, the forensic dentist goes to the second step of the identification process, by analyzing all the documentation provided. A new description tooth per tooth based on the documentation provided is executed. The third step is composed by the comparison of data verified in the victim with the previous findings, always using the same parameters and landmarks.

In Forensic Dentistry identification, the expert needs to pay attention in the qualitative aspects of the *ante-* and *post-mortem* information obtained, because the establishment of a positive identity and obtainment of convergent points will depend ultimately on the quality of the material to be examined [19].

Because dental forensic examination is very specialized, it demands the dental forensic expert's previous knowledge for verifying the features of each case. Therefore, the collaborative and cooperative work between Forensic Dentistry and Medicine is essential for identification cases in extreme situation, generating the results expected by the society. The scientific literature already demonstrated that Forensic Dentistry is an indispensable tool in the process of human identification and, it is capable of acting in cases of charred corpse identification, with positive results [6, 15, 17, 21]. In several cases, Forensic Dentistry is the only available method for identification.

Conclusion

By analyzing the dental records and the features found in the corpse's dental arches, convergence points were established (restoration contour, internal morphology of root canal and root shape of the upper right lateral incisor; lack of restorative treatment and restoration contour of the occlusal surface of upper right first molar) between the *ante-mortem* dental records and the *post-mortem* material provided for forensic examination, enabling the positive identification.

Acknowledges

We thank for the trust of the Center of Legal Medical Investigation of Ribeirão Preto by referring the case for identification.

References

1. Conselho Federal de Odontologia. Prontuário odontológico: uma orientação para o cumprimento da exigência contida no inciso VIII do artigo 5º do Código de Ética Odontológica. Rio de Janeiro; 2004.
2. Figini ARL, Silva JRL, Jobim LF, Silva M. Identificação humana. 2. ed. Campinas: Millenium; 2006.
3. Frari P, Iwashita AR, Caldas JC, Scanavin MA, Daruge Jr. E. A importância do odontologista no processo de identificação humana de vítima de desastre em massa. Sugestão de protocolo de exame técnico-pericial. Rev Odonto. 2008;16(31):38-44.
4. Luntz L, Luntz P. Handbook for dental identification. Philadelphia: Lippincott; 1973.
5. Muller M, Berystrand MF, Quatrehomme G, Bolla M, Rocca JP. Macroscopic and microscopic aspects of incinerated teeth. J Forensic Odontostomatol. 1998;16:1-7.
6. Paranhos LR, Caldas JCF, Iwashita AR, Scanavini MA, Paschini RC. A importância do prontuário odontológico nas perícias de identificação humana. Ortodontia SPO. 2008;41(Ed. Espec.):297-301.
7. Ramos DLP, Crosato E, Mailart D. Aspectos éticos e legais da documentação radiográfica. Rev Pós-Grad. 1994;1(2):41-3.
8. Rothwell BR. Principles of dental identification. Dent Clin North Am. 2001;45:253-70.
9. Saliba CA, Moimaz SAS, Saliba NA, Soares AA. A utilização de fichas clínicas e sua importância na clínica odontológica. Rev Assoc Paul Cir Dent. 1997;51(5):440-5.
10. Silva M. Os dez mandamentos da documentação a ser realizada num consultório odontológico. Rev Assoc Bras Odontol Nac. 2000;8(1):42-4.
11. Silva RF, De La Cruz BVM, Daruge Jr. E, Daruge E, Francesquini Jr. L. La importancia de la documentación odontológica en la identificación humana. Acta Odontol Venez. 2005;43:67-74.
12. Silva RF, Pereira SDR, Mendes SDSC, Marinho DEA, Daruge Jr. E. Radiografias odontológicas: fonte de informação para a identificação humana. Odontol Clín Científ. 2006;5(3):239-42.
13. Silva RF, Portilho CDM, Reges RV, Leles CR, Freitas GC, Daruge Jr. E. Importância pericial dos registros odontológicos decorrentes de tratamento restaurador. Rev Dental Press Estet. 2007;4(4):32-8.

14. Silva RF, Ramos DIA, Pereira SDR, Daruge E, Daruge Jr. E. Modelos de gesso: importância pericial e orientações odontolegais para arquivamento. *Rev Assoc Paul Cir-Dent.* 2007;61(5):381-4.
15. Silva RF, Portilho CDM, Reges RV, Leles CR, Freitas GC, Daruge Jr. E. Importância pericial dos registros odontológicos decorrentes de tratamento restaurador. *Rev Dental Press Estet.* 2007;4(4):32-8.
16. Silva RF, Benta NG, Daruge Jr. E, Prado MM, Melo M. Importância pericial dos registros odontológicos decorrentes de tratamento protético. *Rev Odontol.* 2008;16(32):137-43.
17. Silva RF, Daruge Jr. E, Pereira SDR, Almeida SM, Oliveira RN. Identificação de cadáver carbonizado utilizando documentação odontológica. *Rev Odonto Ciênc.* 2008;23(1):90-3.
18. Silva RF, Prado MM, Barbieri AA, Daruge Jr. E. Utilização de registros odontológicos para identificação humana. *RSBO.* 2009;6(1):95-9.
19. Silva RF, Prado MM, Oliveira HCM, Daruge Jr. E. Quantos pontos de concordância são necessários para se obter uma identificação odontolegal positiva? *Rev Odontol Unicid.* 2009;21(1):63-8.
20. Silva RHA, Almeida-e-Silva CT, Oliveira RN. Prontuário odontológico: aspectos éticos e legais. In: Silva RHA. Orientação profissional para o cirurgião-dentista: ética e legislação. São Paulo: Santos; 2010. p. 167-86.
21. Valenzuela A, las Heras SM, Marques T, Exposito N, Bohoyo JM. *The application of dental methods of identification to human burn victims in a mass disaster.* *Int J Legal Med.* 2000;113:236-9.
22. Vanrell JP. Odontologia legal e antropologia forense. Rio de Janeiro: Guanabara Koogan; 2002.